

Checklist for Ordering

Use this handy checklist to select which GP typing element is best for you.

Correct Element for your typewriter.

Determine if your typewriter requires an 88 or 96 character GP Element.

GP 88 Character Elements fit the following ball element typewriters:

- IBM Personal
- Juki Sierra 3300, 3400, 3500
- Remington
- Xerox
- BSI
- IBM Selectric I and II
- Juki 35XL Office Writer II
- Silver Reed
- Contrintra

GP 96 Character Elements fit only:

- IBM Electronic Models 50, 60, 65, 75, 85, 95
- IBM Selectric III

NOTE: ATTEMPTING TO INSTALL AN ELEMENT ON THE WRONG EQUIPMENT WILL DAMAGE THE ELEMENT AND VOID THE ELEMENT WARRANTY.

Proper Pitch Spacing (number of characters per inch).

GP manufactures elements in 10, 12, 10/12 pitch and Proportional Spaced. Select the pitch appropriate to your needs. Keep in mind that the pitch setting on the typewriter must match the pitch of the element to type with the proper spacing. Pitch information is shown on the typewriter element cap and typewriter with these symbols:

- ▲ 10 Pitch △ 12 Pitch * Proportional Spaced

NOTE: PROPORTIONAL SPACED ELEMENTS CAN BE USED ONLY ON IBM ELECTRONIC MODELS 50, 65, 85 AND 95 TYPEWRITERS.

Proper Point Size (height of the typed characters).

GP Elements come in a variety of point sizes, ranging from the small 6 points (**LIKE THIS FORMS 1[®]**) to the large 14 points

(**like this ORATOR**). The most common character sizes on typewriter elements are 10 and 12 point.

Best Option Code for your specific business application.

GP manufactures several option codes for the most frequently used keyboards. Each option code provides a special set of characters for a specific business application that can be typed using the variable keys on the keyboard. (See pages 2-4.)

NOTE: AN ELEMENT CAN HAVE ONLY ONE OPTION CODE.

Appropriate Typestyle for your application.

GP manufactures a complete selection of standard correspondence typestyles, with applications for every office, as well as a variety of OCR (Optional Character Recognition) typestyles. In addition, GP manufactures the exclusive PREMIUM LINE of typestyles with their "typeset" appearance, designed to meet special application needs. These styles range from the applications-oriented FORMS 1[®] to the artistry of Calligraphy; to the bold, eye-catching impact of HEADLINE.

Correct Part No.

To process your order quickly and efficiently, make certain to specify the correct part number for the element you have selected.

GP part numbers are identical to the last three digits (88 character elements) or four digits (96 character elements) of the full IBM part number. The GP part number can be found under the pump handle on the element.



HAVE A QUESTION OR NEED ADDITIONAL INFORMATION IN ORDERING OR USING GP PRODUCTS? CALL YOUR LOCAL OFFICE PRODUCTS DEALER OR GP TOLL FREE AT (800) 523-1809. IN PENNSYLVANIA AND OUTSIDE THE CONTINENTAL U.S. CALL (215) 563-2200.

Frequently Used Keyboards

Most typewriters in the U.S. utilize one of the keyboards shown on the following pages. Each keyboard version contains the full alphabet, numbers, and symbols shown in their respective illustration. Plus, some of the keyboards contain variable keys (numbered and shaded in blue) which allow the typist to select those punctuation characters best suited to the work being typed. The combination of characters appearing on these variable keys is known as an option code.

88 Character Keyboards

American Standard 88 Character Keyboard

(IBM 101 Keyboard)



	Option A	Option B	Option C	Option D	Option H	Option J	Option R
Variable Key 1	1	2	3	4	5	6	7
Variable Key 2	8	9	0	1	2	3	4

The "X" OPTION CODE refers to specialty elements or correspondence typestyles containing uncommon characters.

Legal 88 Character Keyboard

(IBM 177 Keyboards)



	Option E	Option F	Option G
Variable Key 1	1	2	3
Variable Key 2	4	5	6

Please note that on all options 1 replaces @ above the 2, and 5 replaces e above the 6.

Accounting 88 Character Keyboard

(IBM 172 Keyboards)



Option S The punctuation characters that appear as standards in Option S are shown on the keys shaded in blue.

Tri-lingual 88 Character Keyboard

(IBM 074 Keyboard)



Specialty characters that appear as standards on this keyboard are shown on the keys shaded in blue.

Latin American 88 Character Keyboard

(IBM 002 Keyboards)



Option N The punctuation characters that appear as standards in Option N are shown on the keys shaded in blue.

Please Note: When using a Latin American element on an American keyboard typewriter the "N" will not print as darkly as other characters, because it appears on a "low velocity" key. The "N" does print properly on Latin American keyboard typewriters.

French Canadian 88 Character Keyboard

(IBM 492, 493 Keyboard)



Option M Option P Option Q

Variable Key 1	~	^	^
Variable Key 2	^	^	^

Please note: When using a French Canadian element on an American keyboard typewriter, four of the keys reverse positions: the colon, semicolon key reverses with the circumflex, accent grave key and the 1/4, 1/2 key reverses with the @, # key.

96 Character Keyboards

American Standard 96 Character Keyboard



	Option A	Option J	Option H
Variable Key 1	~	~	~
Variable Key 2	~	~	~

The "X" OPTION CODE refers to specialty elements or correspondence typesets containing uncommon characters.

Latin American 96 Character Keyboard

(IBM 196 Keyboard)



The specialty characters available as standards on this keyboard are shown on the keys shaded in blue.

Please Note: This configuration of characters only appears on the IBM Latin American 196 Keyboard. When using a Latin American element on a U.S. keyboard, the specialty characters will appear in different positions, depending on the element and keyboard.

French Canadian 96 Character Keyboard

(IBM 447 Keyboard)



The specialty characters available as standards on this keyboard are shown on the keys shaded in blue.

Please Note: This particular configuration only appears on the IBM French Canadian 447 Keyboard. When using a French Canadian element on a U.S. Keyboard, the specialty characters will appear in different positions, depending on the element and keyboard.

NOTES:

* The 96 Character Keyboard is found on IBM's Electronic Models 50, 60, 65, 75, 85, and 95, and Selectric III typewriters. The keyboard is actually available in three versions.

• the 96 character version which accesses every key

• the 94 character version which does not include

• the 92 character version which does not include

and

Part numbers for 96 character elements appear in blue on the following typeset pages. Also, those symbols which appear only on the 96 character element version of the typeset are shown in blue.

Premium Typestyles

A unique way
to express yourself
on the typewriter!

Bold Courier 10 point 10 pitch

Gives your words the boldness they need to get your message through.

ABCDEFGHIJKLMNPOQRSTUVWXYZ
abcd efghijklmnopqrstuvwxyz
!@#%&*()½?1234567890½ [³ ¶ ±] ² \$

Option Code—Part Numbers: A-370 96A-2370

Business Script® 12 point 10 pitch

Offers a strong personal touch with its bold adaptation of actual handwriting.

ABCDEFGHIJKLMNPOQRSTUVWXYZ
abcd efghijklmnopqrstuvwxyz
!@#%&*()½?1234567890½ [³ ¶ ±] ² \$

Option Code—Part Numbers: A-350 96A-2350

Calligraphy 10 point 10/12 pitch

Recreates the fine art of hand lettering with its beautiful, graceful lines.

ABCDEFGHIJKLMNPOQRSTUVWXYZ
abcd efghijklmnopqrstuvwxyz
!@#%&*()½?1234567890½ [³ ¶ ±] ² \$

Option Code—Part Numbers: A-352 96A-2352

Contempo® 12 point 10 pitch

Gives letters a sleek, modern look with its adaptation of a popular font -- Optima.

ABCDEFGHIJKLMNPOQRSTUVWXYZ
abcd efghijklmnopqrstuvwxyz
!@#%&*()½?1234567890½ [³ ¶ ±] ² \$

Option Code—Part Numbers: A-351 96A-2351

Refer to page 18 for a complete listing of all typetypes, part numbers and option codes.

Due to space limitations, the standard punctuation characters, . , : ; * + = - ' / are not shown in the type sample.

A unique way
to express yourself
on the typewriter!

Premium Typestyles

Forms 1® 6 and 8 point 12 pitch

CREATES TYPESHOP QUALITY FORMS

RIGHT ON THE TYPEWRITER.

ABCDEFGHIJKLMNPOQRSTUVWXYZ
ABCDEFGHIJKLMNPOQRSTUVWXYZ



NAME	AGE
ADDRESS	
CITY	STATE ZIP

Form shown at 75% of actual size.

Option Code—Part Numbers: 88X-392 96X-2392

Headline 13 and 10 point 12 pitch

CREATES EYE CATCHING

HEADLINES, TITLES, ETC.

ABCDEFGHIJKLMNPOQRSTUVWXYZ
ABCDEFGHIJKLMNPOQRSTUVWXYZ
1234567890! ? 1 2 3 4 5 6 7 8 9 0 ! ? % & * ± ¶

Option Code—Part Numbers: 88X-393 96X-2354

Olde English® 12 point 10/12 pitch

Adds a look of distinction to special announcements, invitations, greetings, etc.

ABCDEFGHIJKLMNPOQRSTUVWXYZ
abcd efghijklmnopqrstuvwxyz
!@#%&*()½?1234567890-£| | † ‡ ± ¶

Option Code—Part Numbers: 88X-390 NX-393 96X-2390 96NX-2393

Olde English® 12 point Proportional Spaced* (For IBM Model 50, 65, 85, and 95 Electronic Typewriters only.)

Adds a look of distinction to special announcements, invitations, greetings, etc.

ABCDEFGHIJKLMNPOQRSTUVWXYZ
abcd efghijklmnopqrstuvwxyz
!@#%&*()½?1234567890-£| | † ‡ ± ¶

Option Code—Part Numbers: 96X-2391

Please Note: Olde English proportional spaced is also available for 88 Character IBM Selectric Compositors. Ask for P/N 4390.

Part numbers for 96 character elements appear in blue. Also, those symbols which appear only on the 96 character element version of the typetype are shown in blue.

Premium Typestyles

*A unique way
to express yourself
on the typewriter!*

Oriental 10 point

10/12 pitch

Brings the intriguing flair
of the Orient to menus,
newsletters, gift tags, etc.
ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
!@#%&'()*+,-./
[] ^ _ ` { } ~

Option Code—Part Numbers: A-355 96A-2355

10 Pitch Correspondence Typestyles**Advocate** 12 point

Select the proper GP type style
to give your message impact.
ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
!@#%&'()*+,-./1234567890½° [] ^ _ ` { } ~

Option Code—Part Numbers: A-130 C-050 D-036 N-003 96A-2007 M-774

Bookface Academic 72 10 point

Select the proper GP type style
to give your message impact.
ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
!@#%&'()*+,-./1234567890½° [] ^ _ ` { } ~

Option Code—Part Numbers: A-158 96A-2904

Courier 72 10 point

Select the proper GP type style
to give your message impact.
ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
!@#%&'()*+,-./1234567890½° [] ^ _ ` { } ~

Option Code—Part Numbers: A-134 C-015 D-029 R-334 J-304
E-178 F-177 G-051 N-040 96A-2002 96N-2012 M-783 Q-479 96FC-1887

Delegate 12 point

Select the proper GP type style
to give your message impact.
ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
!@#%&'()*+,-./1234567890½° [] ^ _ ` { } ~

Option Code—Part Numbers: A-135 C-070 D-035 N-002 96A-2912
96N-2927 M-776 96FC-1882

Manifold 10 point

SELECT THE PROPER GP TYPE STYLE
TO GIVE YOUR MESSAGE IMPACT.
ABCDEFGHIJKLMNOPQRSTUVWXYZ
ABCDEFGHIJKLMNOPQRSTUVWXYZ
!@#%&'()*+,-./1234567890½° [] ^ _ ` { } ~

Option Code—Part Numbers: A-140 B-010 D-028 88X-019 96A-2914 M-779

(To Be Announced)

Refer to page 18 for a complete listing of all typestyles, part numbers and option codes.

Due to space limitations, the standard punctuation characters, . , ; " ' + = - / are not shown in the type sample.

Part numbers for 96 character elements appear in blue. Also, those symbols which appear only on the 96 character element version of the typestyle are shown in blue.

10 Pitch Correspondence Typestyles

Orator 14 point

Select the proper GP type style
to give your message impact.
ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
!@#%\$&*()*~?1234567890½°[³¶±]²§

Option Code—Part Numbers: A-141 B-069 D-060 N-359 96A-2906 96N-2928

Orator Language Arts 14 point

Select the proper GP type style
to give your message impact.
ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
!@#%\$&*()*~?1234567890½°/

Option Code—Part Numbers: 88X-236

Pica 72 12 point

Select the proper GP type style
to give your message impact.
ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
!@#%\$&*()*½?1234567890½°[³¶±]²§

Option Code—Part Numbers: A-142 C-008 D-027 G-017 96A-2907
M-782

Presentor 14 point

Select the proper GP type style
to give your message impact.
ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
!@#%\$&*()*□?1234567890•°[³¶±]²§

Option Code—Part Numbers: 88X-245 96X-2029 M-399

Prestige Pica 72 12 point

Select the proper GP type style
to give your message impact.
ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
!@#%\$&*()*½?1234567890½°[³¶±]²§

Option Code—Part Numbers: A-123 E-182 F-181 N-198 R-323 S-172
96A-2905

12 Pitch Correspondence Typestyles

Adjutant 9 point

Select the proper GP type style
to give your message impact.
ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
!@#%\$&*()*½?1234567890½°[³¶±]²§

Option Code—Part Numbers: A-129 C-030 D-031 96A-2924 M-775

Artisan 12-72 10 point

Select the proper GP type style
to give your message impact.
ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
!@#%\$&*()*½?1234567890½°[³¶±]²§

Option Code—Part Numbers: A-131 C-053 D-055 N-062 96A-2004 P-477

Auto Elite 12 point

Select the proper GP type style
to give your message impact.
ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
!@#%\$&*()*½?1234567890½°[³¶±]²§

Option Code—Part Numbers: A-208 96A-2010

Courier 12 8 point

Select the proper GP type style
to give your message impact.
ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
!@#%\$&*()*½?1234567890½°[³¶±]²§

Option Code—Part Numbers: A-132 C-067 D-068 N-200 96A-2908
96N-2930 M-490

Courier 12 Italic 8 point

Select the proper GP type style
to give your message impact.
ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
!@#%\$&*()*½?1234567890½°[³¶±]²§

Option Code—Part Numbers: A-133 C-085 D-086 96A-2005

Refer to page 18 for a complete listing of all typestyles, part numbers and option codes.

Part numbers for 96 character elements appear in blue. Also, those symbols which appear only on the 96 character element version of the typestyle are shown in blue.

Due to space limitations, the standard punctuation characters , . : ; ' * + = - / are not shown in the type sample.

12 Pitch Correspondence Typestyles

Dual Gothic 10 point

Select the proper GP type style to give your message impact.
ABCDEFGHIJKLMNQRSTUUVWXYZ
abcdefghijklmnopqrstuuvxyz
!@#%\$&*()½?1234567890½°[³¶±]²§

Option Code—Part Numbers: A-136 C-020 D-021 96A-2001

Elite 72 10 point

Select the proper GP type style to give your message impact.
ABCDEFGHIJKLMNQRSTUUVWXYZ
abcdefghijklmnopqrstuuvxyz
!@#%\$&*()½?1234567890½°[³¶±]²§

Option Code—Part Numbers: A-137 C-007 D-026 88X-183 96A-2913
96N-2931 M-781

Large Elite 72 10 point

Select the proper GP type style to give your message impact.
ABCDEFGHIJKLMNQRSTUUVWXYZ
abcdefghijklmnopqrstuuvxyz
!@#%\$&*()½?1234567890½°[³¶±]²§

Option Code—Part Numbers: A-161 96A-2008

Letter Gothic 12 point

Select the proper GP type style to give your message impact.
ABCDEFGHIJKLMNQRSTUUVWXYZ
abcdefghijklmnopqrstuuvxyz
!@#%\$&*()½?1234567890½°[³¶±]²§

Option Code—Part Numbers: A-138 C-005 D-039 N-063 R-338 88X-302
J-305 96A-2909 96N-2932 M-734 96FC-1893

Light Italic 10 point

Select the proper GP type style to give your message impact.
ABCDEFGHIJKLMNQRSTUUVWXYZ
abcdefghijklmnopqrstuuvxyz
!@#%\$&*()½?1234567890½°[³¶±]²§

Option Code—Part Numbers: A-139 B-014 D-032 96A-2922 96N-2933 P-780

12 Pitch Correspondence Typestyles

Prestige Elite 72 10 point

Select the proper GP type style to give your message impact.
ABCDEFGHIJKLMNQRSTUUVWXYZ
abcdefghijklmnopqrstuuvxyz
!@#%\$&*()½?1234567890½°[³¶±]²§

Option Code—Part Numbers: A-143 C-012 D-033 E-180 F-179 G-049
N-041 R-343 J-303 88X-235 96A-2003 96N-2013 M-784 96FC-1885

Scribe 10 point

Select the proper GP type style to give your message impact.
ABCDEFGHIJKLMNQRSTUUVWXYZ
abcdefghijklmnopqrstuuvxyz
!@#%\$&*()½?1234567890½°[³¶±]²§

Option Code—Part Numbers: A-144 C-001 D-025 N-018 96A-2009 M-778

Script 12 point

Select the proper GP type style to give your message impact.
ABCDEFGHIJKLMNQRSTUUVWXYZ
abcdefghijklmnopqrstuuvxyz
!@#%\$&*()½?1234567890½°[³¶±]²§

Option Code—Part Numbers: A-145 B-090 D-034 N-042 R-777 96A-2923
96N-2935 96FC-1888

Proportional Spaced Correspondence Typestyles

(For 96 Character IBM Electronic 50, 65, 85 and 95 Typewriters Only)

Boldface 10 point

Select the proper GP type style to give your message impact.
ABCDEFGHIJKLMNQRSTUUVWXYZ
abcdefghijklmnopqrstuuvxyz
!@#%\$&*()½?1234567890½°[³¶±]²§

Option Code—Part Numbers: 96A-2915

Title 10 point

Select the proper GP type style to give your message impact.
ABCDEFGHIJKLMNQRSTUUVWXYZ
abcdefghijklmnopqrstuuvxyz
!@#%\$&*()½?1234567890½°[³¶±]²§

Option Code—Part Numbers: 96A-2902

Refer to page 18 for a complete listing of all typestyles, part numbers and option codes.

Part numbers for 96 character elements appear in blue. Also, those symbols which appear only on the 96 character element version of the typestyle are shown in blue.

Electronic Scanners are an important feature of many word processing centers found in today's offices. OCR elements play an integral role in the use of electronic scanners in that they produce typewritten material that can be read automatically by these scanners. GP Technologies offers a wide assortment of OCR elements in a variety of type styles.

Before selecting a type style, however, it is important to keep the following points in mind:

1. Some OCR Elements have only Upper case characters, while the others have Upper and Lower case.
2. Some elements contain a 10-key numeric pad on upper case positions which perform as a keypunch or adding machine simulator.
3. OCR elements usually contain one or more of each of the special punctuation symbols shown below.

OCR TYPESTYLE AND PART NUMBER DIRECTORY

TYPE STYLE	P/N	SPECIAL SYMBOLS	ELEMENT KEYBOARD LAYOUT			
			KEYPUNCH SIMULATOR UPPER CASE	UPPER CASE	UPPER CASE LOWER CASE	FOREIGN SYMBOLS UPPER CASE
1428-OCR	016	⊠ ✕	✓			
915-OCR	065	⊠ ⊠ Δ { } ⊠ ↑ ↓ ∇ ∪	✓			
	122	⊠ ⊠ ⊠ Δ { } ⊠ ∇ ∪	✓			
ANSI-OCR-A	056	⊠ { } ⊠ ⊠ ∇ ∪	✓			
	091	⊠ ∇ ∪ { } ⊠ ⊠		✓		
	108	⊠ ∇ ∪ { } ⊠ ⊠		✓		
	2027	⊠ ∇ ∪ ∇ { } ⊠ ⊠ ⊠ ⊠		✓		
	2919	⊠ ∇ ∪ ∇ { } ⊠ ⊠ ⊠ ⊠ ⊠ ∇ ∅ ∅ ⊠			✓	
Printing & Publishing No.1	170	⊠ ∇ ∪ ∇ { } ⊠ ⊠			✓	
Printing & Publishing No.2	157	⊠ { } ⊠ Δ ⊠			✓	
	199	⊠ { } ⊠ Δ ⊠			✓	
Printing & Publishing No.3	173	Δ []			✓	
OCR-B	185	\ ∇ < > ⊠				✓
	210	< []				✓
	224	< [] ⊠ ^ ~ ' ç é			✓	
	232	> < []			✓	
	301*	⊠ ⊠ < []			✓	
	306*	< [ç] é			✓	
	307*	⊠ ⊠ []			✓	
	2920	< ⊠ ^ ∇ \ > _ ∇ ⊠			✓	
	2949	⊠ ⊠ < ∇ ^ ∇ ⊠ > ^ ∇			✓	
2952	< ⊠ [∇ \ > ⊠ ∇ ⊠			✓		

Part numbers for 96 character elements appear in blue.

* Known as Hendrix Gothic OCR-B, these elements feature red caps and pump handles for easy identification.

Please Note: The type samples below only show the alphabetical and numerical characters found in a particular OCR type style. Please refer to the chart at the left for information on the keyboard layout and special symbols found on the particular part number you need.

1428-OCR

(for use with the IBM 1428 Scanner)

ABCDEFGHIJKLMN OPQRSTUVWXYZ
1234567890

915-OCR

(for use with CDC 915 Scanner)

ABCDEFGHIJKLMN OPQRSTUVWXYZ
1234567890

ANSI-OCR-A

(The official American National Standards Institute Character set)

ABCDEFGHIJKLMN OPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
1234567890

Printing and Publishing No.1

(part of the ANSI-OCR-A family)

ABCDEFGHIJKLMN OPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
1234567890

Printing and Publishing No.2

(for use with Compucan 170 and Recognition Equipment, Inc. Scanner)

ABCDEFGHIJKLMN OPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
1234567890

Printing and Publishing No.3

(for use with ECRM, Inc. Scanners)

ABCDEFGHIJKLMN OPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
1234567890

OCR-B

(for use with the IBM 3886 Scanner and the Hendrix Scanner)

ABCDEFGHIJKLMN OPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
1234567890

Due to space limitations, the standard punctuation characters . , ; : * ' + = - / are not shown in the type sample.

Part Number Order Directory to GP Technologies' American, French Canadian and Latin American Elements (3/01/86)

AMERICAN 88 CHARACTER P/N Typestyle

001 Scribe
004 Symbol 12
005 Letter Gothic
007 Elite 72
008 Pica 72
010 Manifold
012 Prestige Elite 72
014 Light Italic
015 Courier 72
017 Pica 72
019 Manifold
020 Dual Gothic
021 Dual Gothic
025 Scribe
026 Elite 72
027 Pica 72
028 Manifold
029 Courier 72
030 Adjutant
031 Adjutant
032 Light Italic
033 Prestige Elite 72
034 Script
035 Delegate
036 Advocate
039 Letter Gothic
049 Prestige Elite 72
050 Advocate
051 Courier 72
053 Artisan 12-72
055 Artisan 12-72
059 Orator
060 Orator
061 Symbol 10
067 Courier 12
068 Courier 12
070 Delegate
085 Courier 12 Italic
086 Courier 12 Italic
090 Script
123 Prestige Pica 72
129 Adjutant
130 Advocate
131 Artisan 12-72
132 Courier 12
133 Courier 12 Italic
134 Courier 72
135 Delegate
136 Dual Gothic
137 Elite 72
138 Letter Gothic
139 Light Italic
140 Manifold
141 Orator
142 Pica 72
143 Prestige Elite 72
144 Scribe
145 Script
158 Bookface
Academic 72
161 Large Elite 72
172 Prestige Pica 72
177 Courier 72
178 Courier 72
179 Prestige Elite 72
180 Prestige Elite 72
181 Prestige Pica 72
182 Prestige Pica 72
183 Elite 72
208 Auto Elite
235 Prestige Elite 72
Tri-Lingual
236 Orator
Language Arts
243 Symbol II

*Premium Priced
Information subject
to change.

AMERICAN 88 CHARACTER P/N Typestyle

245 Presentor
302 Letter Gothic
303 Prestige Elite 72*
304 Courier 72*
305 Letter Gothic*
310 Sunshine Script
311 Sunshine Orator
323 Prestige Pica 72
334 Courier 72
338 Letter Gothic
343 Prestige Elite 72
350 Business Script**
351 Contempo*
352 Calligraphy*
353 Report
354 Headline*
355 Oriental*
356 Shadow*
365 Astrology*
370 Bold Courier*
390 Olde English*
392 Forms I**
999 Diagnostic*

AMERICAN 96 CHARACTERS P/N Typestyle

2001 Dual Gothic
2002 Courier 72
2003 Prestige Elite 72
2004 Artisan 12-72
2005 Courier 12 Italic
2007 Advocate
2008 Large Elite 72
2009 Scribe
2010 Auto Elite
2014 Symbol 10
2029 Presentor
2310 Sunshine Script
2311 Sunshine Orator
2350 Business Script**
2351 Contempo*
2352 Calligraphy*
2353 Report
2354 Headline*
2355 Oriental*
2356 Shadow*
2370 Bold Courier*
2390 Olde English*
2391 Olde English*
2392 Forms I**
2902 Title
2904 Bookface
Academic 72
2905 Prestige Pica 72
2906 Orator
2907 Pica 72
2908 Courier 12
2909 Letter Gothic
2912 Delegate
2913 Elite 72
2914 Manifold
2915 Boldface
2922 Light Italic
2923 Script
2924 Adjutant
2934 Symbol 12

FRENCH CANADIAN 88 CHARACTERS P/N Typestyle

399 Presentor
477 Artisan 12-72
479 Courier 72
490 Courier 12
734 Letter Gothic
774 Advocate
775 Adjutant
776 Delegate
777 Script
778 Scribe

FRENCH CANADIAN 88 CHARACTERS P/N Typestyle

779 Manifold
780 Light Italic
781 Elite 72
782 Pica 72
783 Courier 72
784 Prestige Elite 72

FRENCH CANADIAN 96 CHARACTERS P/N Typestyle

1882 Delegate
1885 Prestige Elite 72
1887 Courier 72
1888 Script
1893 Letter Gothic

LATIN AMERICAN 88 CHARACTERS P/N Typestyle

002 Delegate
003 Advocate
018 Scribe
040 Courier 72
041 Prestige Elite 72
042 Script
062 Artisan 12-72
063 Letter Gothic
198 Prestige Pica 72
200 Courier 12
359 Orator
393 Olde English*

LATIN AMERICAN 96 CHARACTERS P/N Typestyle

2012 Courier 72
2013 Prestige Elite
2393 Olde English*
2927 Delegate
2928 Orator
2930 Courier 12
2931 Elite 72
2932 Letter Gothic
2933 Light Italic
2935 Script

OCR 88 CHARACTERS P/N Typestyle

016 1428-OCR
056 ANSI OCR-A
065 915-OCR
091 ANSI OCR-A
108 ANSI OCR-A
122 915-OCR
157 Printing &
Publishing #2
170 Printing &
Publishing #1
173 Printing &
Publishing #3
185 OCR-B
199 Printing &
Publishing #2
210 OCR-B
224 OCR-B
232 OCR-B
301 Hendrix Gothic*
306 Hendrix Gothic III*
307 Hendrix Gothic II*

OCR 96 CHARACTERS P/N Typestyle

2027 OCR-A
2919 ANSI-OCR-A
2920 OCR-B
2949 OCR-B(Latin American)
2952 OCR-B

©GP 3/86 Printed in USA
P/N 8321

